














Ladder Hitches JCB-Fastrac



Ladder Hitches

	<p>Art.Nr. 00.190.01.0-A02 Ladder Hitches Standard Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.190.01.0-A02 (Black)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 89,3 Max. Permissible Vertical Load (kg): 4000</p> <p>Adapted for Tractor</p> <p>JCB-Fastrac: 100: 135, 155, 185; 1100: 1115, 1125, 1135; 2000: 2115, 2125, 2135, 2140, 2150, 2155, 2170; 3000: 3155, 3170, 3185, 3190, 3200, 3220, 3230;</p>
	<p>Art.Nr. 00.192.00.0-A02 Ladder Hitches Standard Assembly Dimension Scharmüller S32 (255/25/32)</p> <p>Alternative color </p> <p>00.192.00.0-A02 (Black)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 15,1 Max. Permissible Vertical Load (kg): 500</p> <p>Adapted for Tractor</p> <p>JCB-Fastrac: 300: 331, 335; TYM: T: 303 HST, 353 HST;</p>
	<p>Art.Nr. 00.197.00.0-A02 Ladder Hitches Standard Assembly Dimension Scharmüller S32 (390/25/32)</p> <p>Alternative color </p> <p>00.197.00.0-A02 (Black)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 105 Max. Permissible Vertical Load (kg): 4000</p> <p>Adapted for Tractor</p> <p>JCB-Fastrac: 8000: 8250, 8280, 8290, 8310, 8330;</p>
	<p>Art.Nr. 00.190.10.0-A02 Ladder Hitches Short Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.190.10.0-A02-A02 (Black)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 89,3 Max. Permissible Vertical Load (kg): 2000</p> <p>Adapted for Tractor</p> <p>JCB-Fastrac: 100: 135, 155, 185; 1100: 1115, 1125, 1135; 2000: 2115, 2125, 2135, 2140, 2150, 2155, 2170; 3000: 3155, 3170, 3185, 3190, 3200, 3220, 3230;</p>
	<p>Art.Nr. 00.196.10.0-A02 Ladder Hitches Short Assembly Dimension Scharmüller S32 (330/25/32)</p> <ul style="list-style-type: none"> • usable with Scharmüller Pick-Up Hitch <p>Alternative color </p> <p>00.196.10.0-A02 (Black)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 93,7 Max. Permissible Vertical Load (kg): 2000</p> <p>Adapted for Tractor</p> <p>JCB-Fastrac: 4000: 4160, 4190, 4220;</p>

Ladder Hitches

	<p>Art.Nr. 00.197.10.0-A02 Ladder Hitches Short Assembly Dimension Scharmüller S32 (390/25/32)</p> <p>Alternative color </p> <p>00.197.10.0-A02 (Black)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 105 Max. Permissible Vertical Load (kg): 2000</p> <p>Adapted for Tractor</p> <p>JCB-Fastrac: 8000: 8250, 8280, 8290, 8310, 8330;</p>
	<p>Art.Nr. 00.190.80.2-A02 Ladder Hitches Long K80® Ball Coupling System Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.190.80.2-A02 (Black)</p> <p>Technical Values*</p> <p>Locking: K80® Manual Max. Permissible D-Value (kN): 89,3 Max. Permissible Vertical Load (kg): 4000</p> <p>Adapted for Tractor</p> <p>JCB-Fastrac: 100: 135, 155, 185; 1100: 1115, 1125, 1135; 2000: 2115, 2125, 2135, 2140, 2150, 2155, 2170; 3000: 3155, 3170, 3185, 3190, 3200, 3220, 3230;</p>
	<p>Art.Nr. 00.196.00.0-A02 Ladder Hitches Prepared for Drawbar Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.196.00.0-A02 (Black)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 93,7 Max. Permissible Vertical Load (kg): 4000</p> <p>Adapted for Tractor</p> <p>JCB-Fastrac: 4000: 4160, 4190, 4220;</p>