















Ladder Hitches Kubota




Ladder Hitches

	<p>Art.Nr. 00.110.390.1-A34 Ladder Hitches Standard Assembly Dimension Scharmüller S32 (390/25/32)</p> <p>Alternative color </p> <p>00.110.390.1-A34 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 89,3 Max. Permissible Vertical Load (kg): 3000</p> <p>Adapted for Tractor</p> <p>Kubota: M7001: 7.131, 7.151, 7.171; M7002: 7.132, 7.152, 7.172; M7003: 7.133, 7.153, 7.173;</p>
	<p>Art.Nr. 00.248.00.1-A16 Ladder Hitches Standard Assembly Dimension KN Scharmüller (160/16/25)</p> <p>Alternative color </p> <p>00.248.00.1-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 12,9 Max. Permissible Vertical Load (kg): 500</p> <p>Adapted for Tractor</p> <p>Kubota: B2: 201, 231, 261, 311; B30: 1830, 2230, 2530, 3030; B50: 2050, 2350, 2650, 3150;</p>
	<p>Art.Nr. 00.248.02.1-A16 Ladder Hitches Standard Assembly Dimension KN Scharmüller (160/16/25)</p> <p>Alternative color </p> <p>00.248.02.1-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 12,9 Max. Permissible Vertical Load (kg): 500</p> <p>Adapted for Tractor</p> <p>Kubota: B1: 121, 161, 181, 241; B10: 1410, 1610, 1710, 2110, 2410; B20: 1220, 1620, 1820, 2420;</p>
	<p>Art.Nr. 00.253.50.1-A16 Ladder Hitches Standard Assembly Dimension KN Scharmüller (160/16/25)</p> <p>Alternative color </p> <p>00.253.50.1-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 8,4 Max. Permissible Vertical Load (kg): 275</p> <p>Adapted for Tractor</p> <p>Kubota: BX: 2200, 2350;</p>
	<p>Art.Nr. 00.253.51.0-A16 Ladder Hitches Standard Assembly Dimension KN Scharmüller (160/16/25)</p> <p>Alternative color </p> <p>00.253.51.0-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 9 Max. Permissible Vertical Load (kg): 275</p> <p>Adapted for Tractor</p> <p>Kubota: BX: 231, 261;</p>


Ladder Hitches




Art.Nr. 00.256.03.3-A16 Ladder Hitches Standard
Assembly Dimension KN Scharmüller (200/16/25)
Alternative color
00.256.03.3-A16 (Kubota-Grey)
Technical Values*
Max. Permissible D-Value (kN): 13,2 Max. Permissible Vertical Load (kg): 500
Adapted for Tractor
Kubota: ST: 30, 35; STV: 32, 36, 40; STW: 34, 37, 40;




Art.Nr. 00.110.393.0-A34 Ladder Hitches Short
Assembly Dimension Scharmüller S32 (390/25/32)
Alternative color
00.110.393.0-A34 (Kubota-Grey)
Technical Values*
Max. Permissible D-Value (kN): 89,3 Max. Permissible Vertical Load (kg): 2000
Adapted for Tractor
Kubota: M7001: 7.131, 7.151, 7.171; M7002: 7.132, 7.152, 7.172; M7003: 7.133, 7.153, 7.173;



Art.Nr. 00.254.10.1-A16 Ladder Hitches Short
Assembly Dimension Scharmüller S32 (270/25/32)
Alternative color
00.254.10.1-A16 (Kubota-Grey)
Technical Values*
Max. Permissible D-Value (kN): 43,2 Max. Permissible Vertical Load (kg): 1500
Adapted for Tractor
Kubota: M5N: 5071, 5072, 5091, 5092, 5111, 5112;













Art.Nr. 00.254.11.0-A16 Ladder Hitches Short
Assembly Dimension Scharmüller S32 (330/25/32)
Alternative color
00.254.11.0-A16 (Kubota-Grey)
Technical Values*
Max. Permissible D-Value (kN): 43,2 Max. Permissible Vertical Load (kg): 2000
Adapted for Tractor
Kubota: M4: 4062, 4063, 4072, 4073;













Art.Nr. 00.258.10.0 Ladder Hitches Short
Assembly Dimension Scharmüller S32 (330/25/32)
Technical Values*
Max. Permissible D-Value (kN): 74 Max. Permissible Vertical Load (kg): 2000
Adapted for Tractor
Kubota: MGX: 100, 110, 126, 135; MGX-II: 100, 110, 128, 135;




Ladder Hitches

	<p>Art.Nr. 00.258.11.0-A16 Ladder Hitches Short Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.258.11.0-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 55,4 Max. Permissible Vertical Load (kg): 1800</p> <p>Adapted for Tractor</p> <p>Kubota: M5: 5091, 5092, 5111, 5112;</p>
	<p>Art.Nr. 00.258.12.0-A16 Ladder Hitches Short Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.258.12.0-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 74 Max. Permissible Vertical Load (kg): 2000</p> <p>Adapted for Tractor</p> <p>Kubota: MGX-III: 105, 115, 125, 135, 95; MGX-IV: 105, 115, 125, 135, 95;</p>
	<p>Art.Nr. 00.249.50.0-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.249.50.0-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 50,7 Max. Permissible Vertical Load (kg): 1500</p> <p>Adapted for Tractor</p> <p>Kubota: MS: 105, 108;</p>
	<p>Art.Nr. 00.249.55.0-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.249.55.0-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 50,7 Max. Permissible Vertical Load (kg): 1500</p> <p>Adapted for Tractor</p> <p>Kubota: ME: 8200, 9000;</p>
	<p>Art.Nr. 00.252.10.2-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension Scharmüller S32 (255/25/32)</p> <p>Alternative color </p> <p>00.252.10.2-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 24,2 Max. Permissible Vertical Load (kg): 600</p> <p>Adapted for Tractor</p> <p>Kubota: L: 4100;</p>











Ladder Hitches

	<p>Art.Nr. 00.252.20.2-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension Scharmüller S32 (255/25/32)</p> <ul style="list-style-type: none"> • useable with Original Drawbar (ex factory) <p>Alternative color </p> <p>00.252.20.2-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 24,2 Max. Permissible Vertical Load (kg): 650</p> <p>Adapted for Tractor</p> <p>Kubota: L1: 501, 522, 552; L2: 501, 522, 552, 602, 622; L30: 5030; L40: 5040, 5240, 5740; MK: 5000;</p>
	<p>Art.Nr. 00.252.21.2-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension Scharmüller S32 (255/25/32)</p> <p>Alternative color </p> <p>00.252.21.2-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 24,2 Max. Permissible Vertical Load (kg): 650</p> <p>Adapted for Tractor</p> <p>Kubota: L1: 421, 452; L2: 421, 452; L30: 3130, 3430, 3830, 4330, 4630; L40: 3240, 3540, 3940, 4240, 4740;</p>
	<p>Art.Nr. 00.252.30.0-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension KN Scharmüller (200/16/25)</p> <p>Alternative color </p> <p>00.252.30.0-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 10 Max. Permissible Vertical Load (kg): 295</p> <p>Adapted for Tractor</p> <p>Kubota: EK1: 261;</p>
	<p>Art.Nr. 00.254.01.3-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.254.01.3-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 43,2 Max. Permissible Vertical Load (kg): 2000</p> <p>Adapted for Tractor</p> <p>Kubota: M40: 6040, 7040; M60: 6060, 7060;</p>
	<p>Art.Nr. 00.254.01.4-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.254.01.4-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 43,2 Max. Permissible Vertical Load (kg): 2000</p> <p>Adapted for Tractor</p> <p>Kubota: M4: 4062, 4063, 4072, 4073;</p>


Ladder Hitches

	<p>Art.Nr. 00.254.02.2-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension Scharmüller S32 (270/25/32)</p> <p>Alternative color </p> <p>00.254.02.2-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 43,2 Max. Permissible Vertical Load (kg): 2000</p> <p>Adapted for Tractor</p> <p>Kubota: M40N: 6040, 7040, 8540;</p>
	<p>Art.Nr. 00.254.03.1-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension Scharmüller S32 (270/25/32)</p> <p>Alternative color </p> <p>00.254.03.1-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 43,2 Max. Permissible Vertical Load (kg): 1500</p> <p>Adapted for Tractor</p> <p>Kubota: M5N: 5071, 5072, 5091, 5092, 5111, 5112;</p>
	<p>Art.Nr. 00.255.05.3-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension Scharmüller S32 (255/25/32)</p> <p>Alternative color </p> <p>00.255.05.3-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 24,2 Max. Permissible Vertical Load (kg): 600</p> <p>Adapted for Tractor</p> <p>Kubota: L: 3200;</p>
	<p>Art.Nr. 00.255.06.0-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension Scharmüller S32 (255/25/32)</p> <p>Alternative color </p> <p>00.255.06.0-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 24,2 Max. Permissible Vertical Load (kg): 600</p> <p>Adapted for Tractor</p> <p>Kubota: L1: 361, 382;</p>
	<p>Art.Nr. 00.256.04.0-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension KN Scharmüller (200/16/25)</p> <p>Alternative color </p> <p>00.256.04.0-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 16 Max. Permissible Vertical Load (kg): 500</p> <p>Adapted for Tractor</p> <p>Kubota: ST: 341, 371, 401;</p>

Ladder Hitches

	<p>Art.Nr. 00.256.05.0-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension KN Scharmüller (200/16/25)</p> <ul style="list-style-type: none"> • useable with Original Drawbar (ex factory) <p>Alternative color </p> <p>00.256.05.0-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 16 Max. Permissible Vertical Load (kg): 500</p> <p>Adapted for Tractor</p> <p>Kubota: LX: 351, 401;</p>
	<p>Art.Nr. 00.258.02.2-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.258.02.2-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 55,4 Max. Permissible Vertical Load (kg): 2000</p> <p>Adapted for Tractor</p> <p>Kubota: M40: 8540, 9540; M60: 8560, 9960;</p>
	<p>Art.Nr. 00.258.02.3-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.258.02.3-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 55,4 Max. Permissible Vertical Load (kg): 2000</p> <p>Adapted for Tractor</p> <p>Kubota: M5: 5091, 5092, 5111, 5112;</p>
	<p>Art.Nr. 00.258.03.1-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.258.03.1-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 59,7 Max. Permissible Vertical Load (kg): 2500</p> <p>Adapted for Tractor</p> <p>Kubota: MX: 110, 126, 128, 130, 135;</p>
	<p>Art.Nr. 00.258.04.1-A16 Ladder Hitches Prepared for Drawbar Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.258.04.1-A16 (Kubota-Grey)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 68 Max. Permissible Vertical Load (kg): 2000</p> <p>Adapted for Tractor</p> <p>Kubota: MGX: 100, 110, 126, 135; MGX-II: 100, 110, 128, 135;</p>

Ladder Hitches



Art.Nr. 00.258.05.0-A16 | Ladder Hitches | Prepared for Drawbar

Assembly Dimension Scharmüller S32 (330/25/32)

Alternative color


00.258.05.0-A16 (Kubota-Grey)

Technical Values*

Max. Permissible D-Value (kN): 74 | Max. Permissible Vertical Load (kg): 3000

Adapted for Tractor

Kubota: **MGX-III:** 105, 115, 125, 135, 95; **MGX-IV:** 105, 115, 125, 135, 95;



Art.Nr. 00.258.30.0-A16 | Ladder Hitches | Prepared for Drawbar

Assembly Dimension Scharmüller S32 (330/25/32)

Alternative color

00.258.30.0-A16 (Kubota-Grey)

Technical Values*

Max. Permissible D-Value (kN): 74 | Max. Permissible Vertical Load (kg): 3000

Adapted for Tractor

Kubota: **M6001:** 6.121, 6.131, 6.141; **M6002:** 6.122, 6.132, 6.142;