


























Ladder Hitches Mercedes Benz













Ladder Hitches

	<p>Art.Nr. 00.130.01.1-A02 Ladder Hitches Standard Assembly Dimension JSV-Scharmüller (325/25/26)</p> <ul style="list-style-type: none"> Length of the Pull Rod needs to be declared with the order Please request Technical Drawing Fits for three divided Axle Fits instead Daimler Console Nr. 427 310 01 04 <p>Alternative color </p> <p>00.130.01.1-A02 (Black)</p> <p>Technical Values*</p> <p>Flange Hole Pattern (mm): 120/145x88 Max. Permissible D-Value (kN): 65,7 Max. Permissible Vertical Load (kg): 1500</p> <p>Adapted for Tractor</p> <p>Mercedes Benz: Unimog Typ 424: 1000, 1000T, 1200, 1200T, 1250, 1250L, 1550; Unimog Typ 427 mit dreigeteilter Achse: 1000 (Euro 1), 1200 (Euro 1), 1250 (Euro 1), 1250L (Euro 1), 1400 (Euro 1), 1450 (Euro 1), 1450L (Euro 1);</p>
	<p>Art.Nr. 00.130.03.0-SET-A02 Ladder Hitches Standard Assembly Dimension Scharmüller S32 (330/25/32)</p> <ul style="list-style-type: none"> fits to vehicle identification number 427.102 Fits with Q37 Cross-Bearer from Scharmüller Art. Nr. 34.437.001.0 Fits for two divided axle with axle tube Ø120mm - axis number 747.360 <p>Alternative color </p> <p>00.130.03.0-SET-A02 (Black)</p> <p>Technical Values*</p> <p>Flange Hole Pattern (mm): 230x130 / 160x100 Max. Permissible D-Value (kN): 76,4 Max. Permissible Vertical Load (kg): 2000</p> <p>Adapted for Tractor</p> <p>Mercedes Benz: Unimog Typ 427 mit zweigeteilter Achse: 1200 (Euro 2), 1400 (Euro 2);</p>
	<p>Art.Nr. 00.131.01.0-SET-A02 Ladder Hitches Standard Assembly Dimension Scharmüller S32 (330/25/32)</p> <ul style="list-style-type: none"> Fits for Daimler Cross-Bearer Q37 / 427 310 05 46 Please request Technical Drawing Fits for two divided axle with axle tube Ø125mm - axis number 747.424 <p>Alternative color </p> <p>00.131.01.0-SET-A02 (Black)</p> <p>Technical Values*</p> <p>Flange Hole Pattern (mm): 230x130 / 160x100 Max. Permissible D-Value (kN): 76,4 Max. Permissible Vertical Load (kg): 2000</p> <p>Adapted for Tractor</p> <p>Mercedes Benz: Unimog Typ 427 mit zweigeteilter Achse: 1600 (Euro 1);</p>
	<p>Art.Nr. 00.131.02.0-SET-A02 Ladder Hitches Standard Assembly Dimension Scharmüller S32 (330/25/32)</p> <ul style="list-style-type: none"> Fits for Daimler Cross-Bearer 427 312 02 35 = hole pattern 145x88 (mm) Please request Technical Drawing Fits for two divided axle with axle tube Ø125mm - axis number 747.424 <p>Alternative color </p> <p>00.131.02.0-SET-A02 (Black)</p> <p>Technical Values*</p> <p>Flange Hole Pattern (mm): 145x88 Max. Permissible D-Value (kN): 76,4 Max. Permissible Vertical Load (kg): 2000</p> <p>Adapted for Tractor</p> <p>Mercedes Benz: Unimog Typ 427 mit zweigeteilter Achse: 1600 (Euro 1);</p>
	<p>Art.Nr. 00.131.03.0-SET-A02 Ladder Hitches Standard Assembly Dimension Scharmüller S32 (330/25/32)</p> <ul style="list-style-type: none"> fits to vehicle identification number 427.105 Fits with Q37 Cross-Bearer from Scharmüller Art. Nr. 34.437.001.0 Fits for two divided axle with axle tube Ø125mm - axis number 747.424 <p>Alternative color </p> <p>00.131.03.0-SET-A02 (Black)</p> <p>Technical Values*</p> <p>Flange Hole Pattern (mm): 230x130 / 160x100 Max. Permissible D-Value (kN): 76,4 Max. Permissible Vertical Load (kg): 2000</p> <p>Adapted for Tractor</p> <p>Mercedes Benz: Unimog Typ 427 mit zweigeteilter Achse: 1600 (Euro 2);</p>


Ladder Hitches

	<p>Art.Nr. 00.132.01.0-SET-A02 Ladder Hitches Standard Assembly Dimension Scharmüller S32 (330/25/32)</p> <ul style="list-style-type: none"> fits with Q64 Cross-Bearer from Daimler Please request Technical Drawing <p>Alternative color </p> <p>00.132.01.0-SET-A02 (Black)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 89,3 Max. Permissible Vertical Load (kg): 2500</p> <p>Adapted for Tractor</p> <p>Mercedes Benz: Unimog Typ 425: 1300, 1500, 1500T; Unimog Typ 435: 1300L, 1700, 1700L; Unimog Typ 437.1: 1300, 1500, 1550L, 1700, 1800, 2100, 2150, 2400, 2450;</p>
	<p>Art.Nr. 00.132.01.1-SET-A02 Ladder Hitches Standard Assembly Dimension Scharmüller S32 (330/25/32)</p> <ul style="list-style-type: none"> fits with Q64 Cross-Bearer from Daimler Please request Technical Drawing <p>Alternative color </p> <p>00.132.01.1-SET-A02 (Black)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 89,3 Max. Permissible Vertical Load (kg): 2500</p> <p>Adapted for Tractor</p> <p>Mercedes Benz: Unimog 437.4: 3000, 4000, 5000;</p>
	<p>Art.Nr. 00.132.06.0-SET-A02 Ladder Hitches Standard Assembly Dimension Scharmüller S32 (330/25/32)</p> <ul style="list-style-type: none"> Requires Daimler Cross-Bearer Q33 or Q34 and 2 pcs. of side trusses from Scharmüller for Euro 5 Types  fits with Q64 Cross-Bearer from Scharmüller Art. Nr. 34.437.000.0 & 34.437.002.0 for type 425, 435, 437.1, 437.4 <p>Alternative color </p> <p>00.132.06.0-SET-A02 (Black)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 89,3 Max. Permissible Vertical Load (kg): 2500</p> <p>Adapted for Tractor</p> <p>Mercedes Benz: Unimog 437.4: 3000, 4000, 5000; Unimog Typ 405 (Euro 5): 290, 300, 400, 429, 500, 529; Unimog Typ 405 (Euro 6): 216, 218, 219, 318, 323, 423, 427, 430, 527, 530; Unimog Typ 425: 1300, 1500, 1500T; Unimog Typ 435: 1300L, 1700, 1700L; Unimog Typ 437.1: 1300, 1500, 1550L, 1700, 1800, 2100, 2150, 2400, 2450;</p>
	<p>Art.Nr. 00.132.80.1-SET-A02 Ladder Hitches Standard K80® Ball Coupling System Assembly Dimension Scharmüller S32 (330/25/32)</p> <ul style="list-style-type: none"> fits with Q64 Cross-Bearer from Daimler <p>Alternative color </p> <p>00.132.80.1-SET-A02 (Black)</p> <p>Technical Values*</p> <p>Locking: K80® Manual Max. Permissible D-Value (kN): 89,3 Max. Permissible Vertical Load (kg): 2500</p> <p>Adapted for Tractor</p> <p>Mercedes Benz: Unimog Typ 425: 1300, 1500, 1500T; Unimog Typ 435: 1300L, 1700, 1700L; Unimog Typ 437.1: 1300, 1500, 1550L, 1700, 1800, 2100, 2150, 2400, 2450;</p>
	<p>Art.Nr. 00.132.81.0-SET-A02 Ladder Hitches Standard K80® Ball Coupling System Assembly Dimension Scharmüller S32 (330/25/32)</p> <ul style="list-style-type: none"> Requires Daimler Cross-Bearer Q33 or Q34 and 2 pcs. of side trusses from Scharmüller for Euro 5 Types  fits with Q64 Cross-Bearer from Scharmüller Art. Nr. 34.437.000.0 & 34.437.002.0 for type 425, 435, 437.1, 437.4 <p>Alternative color </p> <p>00.132.81.0-SET-A02 (Black)</p> <p>Technical Values*</p> <p>Locking: K80® Manual Max. Permissible D-Value (kN): 97,1 Max. Permissible Vertical Load (kg): 3000</p> <p>Adapted for Tractor</p> <p>Mercedes Benz: Unimog 437.4: 3000, 4000, 5000; Unimog Typ 405 (Euro 5): 290, 300, 400, 429, 500, 529; Unimog Typ 405 (Euro 6): 216, 218, 219, 318, 323, 423, 427, 430, 527, 530; Unimog Typ 425: 1300, 1500, 1500T; Unimog Typ 435: 1300L, 1700, 1700L; Unimog Typ 437.1: 1300, 1500, 1550L, 1700, 1800, 2100, 2150, 2400, 2450;</p>


Ladder Hitches

	<p>Art.Nr. 00.135.01.2-A02 Ladder Hitches Standard Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.135.01.2-A02 (Black)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 63 Max. Permissible Vertical Load (kg): 2500</p> <p>Adapted for Tractor</p> <p>Mercedes Benz: MB-Trac BR 441: 1000 Bj. 82-87, 1000 Bj. 87-91, 1100 Bj. 87-91;</p>
	<p>Art.Nr. 00.135.04.0-A02 Ladder Hitches Standard Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.135.04.0-A02 (Black)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 63 Max. Permissible Vertical Load (kg): 2500</p> <p>Adapted for Tractor</p> <p>Mercedes Benz: MB-Trac BR 440: 65/70, 700, 800, 900, 900 Turbo, Turbo 900;</p>
	<p>Art.Nr. 00.136.00.2-A02 Ladder Hitches Standard Assembly Dimension Scharmüller S32 (330/25/32)</p> <p>Alternative color </p> <p>00.136.00.2-A02 (Black)</p> <p>Technical Values*</p> <p>Max. Permissible D-Value (kN): 89,3 Max. Permissible Vertical Load (kg): 3500</p> <p>Adapted for Tractor</p> <p>Mercedes Benz: MB-Trac BR 442: 1100 Bj. 76-84; MB-Trac BR 443: 1100 Bj. 84-87, 1300, 1300 Turbo, 1400 Turbo, 1500 Turbo, 1600 Turbo, 1800 Intercooler;</p>
	<p>Art.Nr. 00.136.81.2-A02 Ladder Hitches Standard K80® Ball Coupling System Assembly Dimension Scharmüller S32 (330/25/32)</p> <ul style="list-style-type: none"> • Wideangle P.T.O useable <p>Alternative color </p> <p>00.136.81.2-A02 (Black)</p> <p>Technical Values*</p> <p>Locking: K80® Manual Max. Permissible D-Value (kN): 89,3 Max. Permissible Vertical Load (kg): 3000</p> <p>Adapted for Tractor</p> <p>Mercedes Benz: MB-Trac BR 442: 1100 Bj. 76-84; MB-Trac BR 443: 1100 Bj. 84-87, 1300, 1300 Turbo, 1400 Turbo, 1500 Turbo, 1600 Turbo, 1800 Intercooler;</p>
	<p>Art.Nr. 00.136.81.3-A02 Ladder Hitches Standard K80® Ball Coupling System Assembly Dimension Scharmüller S32 (330/25/32)</p> <ul style="list-style-type: none"> • Wideangle PTO not useable <p>Alternative color </p> <p>00.136.81.3-A02 (Black)</p> <p>Technical Values*</p> <p>Locking: K80® Manual Max. Permissible D-Value (kN): 89,3 Max. Permissible Vertical Load (kg): 3000</p> <p>Adapted for Tractor</p> <p>Mercedes Benz: MB-Trac BR 442: 1100 Bj. 76-84; MB-Trac BR 443: 1100 Bj. 84-87, 1300, 1300 Turbo, 1400 Turbo, 1500 Turbo, 1600 Turbo, 1800 Intercooler;</p>


Ladder Hitches



Art.Nr. 00.135.10.0-A02 Ladder Hitches Short Assembly Dimension Scharmüller S32 (330/25/32)
Alternative color
00.135.10.0-A02 (Black)
Technical Values*
Max. Permissible D-Value (kN): 63 Max. Permissible Vertical Load (kg): 2000
Adapted for Tractor
Mercedes Benz: MB-Trac BR 440: 65/70, 700, 800, 900, 900 Turbo, Turbo 900; MB-Trac BR 441: 1000 Bj. 82-87, 1000 Bj. 87-91, 1100 Bj. 87-91;



Art.Nr. 00.136.02.0-A02 Ladder Hitches Short Assembly Dimension Scharmüller S32 (330/25/32)
Alternative color
00.136.02.0-A02 (Black)
Technical Values*
Max. Permissible D-Value (kN): 89,3 Max. Permissible Vertical Load (kg): 2000
Adapted for Tractor
Mercedes Benz: MB-Trac BR 442: 1100 Bj. 76-84; MB-Trac BR 443: 1100 Bj. 84-87, 1300, 1300 Turbo, 1400 Turbo, 1500 Turbo, 1600 Turbo, 1800 Intercooler;



Art.Nr. 00.132.07.0-SET-A02 Ladder Hitches Long Assembly Dimension Scharmüller S32 (330/25/32)
• Requires Daimler Cross-Bearer Q33 or Q34
Alternative color
00.132.07.0-SET-A02 (Black)
Technical Values*
Max. Permissible D-Value (kN): 97,1 Max. Permissible Vertical Load (kg): 2000
Adapted for Tractor
Mercedes Benz: Unimog Typ 405 (Euro 5): 290, 300, 400, 429, 500, 529; Unimog Typ 405 (Euro 6): 216, 218, 219, 318, 323, 423, 427, 430, 527, 530;