














Forced Steering Parts | For K80®-Heavy Duty Drawbars








Forced Steering Parts | For K80®-Heavy Duty Drawbars

	Art.Nr. 00.520.52.2 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller Technical Values* • for left and right side Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)
	Art.Nr. 00.520.56.0-A29 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller Alternative color  00.520.56.0-A29 (Claas-Grey) Technical Values* Flange Hole Pattern (mm): 83x56 • for right side Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)
	Art.Nr. 00.520.57.0-A29 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller Alternative color  00.520.57.0-A29 (Claas-Grey) Technical Values* Flange Hole Pattern (mm): 82x65 • for left side Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)
	Art.Nr. 00.520.60.1-A11 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller for use with K80® drawbar in short position at 3,7t vertical load Alternative color  00.520.60.1-A11 (AGCO-Grey) Technical Values* • Double-Sided Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)
	Art.Nr. 00.520.63.0-A16 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller Alternative color  00.520.63.0-A16 (Kubota-Grey) Technical Values* Flange Hole Pattern (mm): 65x82,5 • for right side Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)



Forced Steering Parts | For K80®-Heavy Duty Drawbars

	Art.Nr. 00.520.64.0-A16 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller Alternative color  00.520.64.0-A16 (Kubota-Grey) Technical Values* Flange Hole Pattern (mm): 65x82,5 • for left side Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)
	Art.Nr. 00.520.67.0 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller Technical Values* • for left side Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)
	Art.Nr. 00.520.68.0-A02 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller Alternative color  00.520.68.0-A02 (Black) Technical Values* Flange Hole Pattern (mm): 65x82,5 • for left side Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)
	Art.Nr. 00.520.69.0-A02 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller Alternative color  00.520.69.0-A02 (Black) Technical Values* Flange Hole Pattern (mm): 65x82,5 • for right side Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)
	Art.Nr. 00.521.0320.0-A02 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller Alternative color  00.521.0320.0-A02 (Black) 00.521.0320.0-A11 (AGCO-Grey) Technical Values* • Double-Sided Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)

Forced Steering Parts | For K80®-Heavy Duty Drawbars

	Art.Nr. 00.521.0322.0-A02 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller Alternative color  00.521.0322.0-A02 (Black) 00.521.0322.0-A17 (JD-Green) 00.521.0322.0-A11 (AGCO-Grey) 00.521.0322.0-A34 (Kubota-Grey) Technical Values* • Double-Sided Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)
	Art.Nr. 00.521.0325.0-A02 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller Alternative color  00.521.0325.0-A02 (Black) 00.521.0325.0-A11 (AGCO-Grey) Technical Values* Flange Hole Pattern (mm): 120x40 • Double-Sided Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)
	Art.Nr. 00.521.0330.7-A02 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller Alternative color  00.521.0330.7-A02 (Black) Technical Values* • Double-Sided Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)
	Art.Nr. 00.521.036.0-A02 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller Alternative color  00.521.036.0-A02 (Black) 00.521.036.0-A11 (AGCO-Grey) Technical Values* • for left side Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)
	Art.Nr. 00.521.0360.0-A02 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller Alternative color  00.521.0360.0-A02 (Black) 00.521.0360.0-A11 (AGCO-Grey) Technical Values* • for right side Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)

Forced Steering Parts | For K80®-Heavy Duty Drawbars

	Art.Nr. 00.521.037.0-A11 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller Alternative color  00.521.037.0-A11 (AGCO-Grey) Technical Values* Flange Hole Pattern (mm): 120x40 • for left side Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)
	Art.Nr. 00.521.0370.0-A11 Forced Steering Parts For K80®-Heavy Duty Drawbars K50 Forced Steering - Attachment-System Scharmüller Alternative color  00.521.0370.0-A11 (AGCO-Grey) Technical Values* Flange Hole Pattern (mm): 120x40 • for right side Distance K80® to K50 (mm): 250 • Admitted Steering Power up to 20kN (2to)